

# PlexService 2.5 Installation Guide

**THE SOFTWARE PLATFORM PROVIDER**



**Table of Contents**

<b>1</b>	<b>Introduction .....</b>	<b>3</b>
<b>2</b>	<b>System Requirements.....</b>	<b>4</b>
2.1	Hardware .....	4
2.2	Software .....	4
<b>3</b>	<b>Installation .....</b>	<b>5</b>
3.1	Installation Preparation.....	5
3.2	Installation Process .....	6
3.2.1	Custom Installation .....	12
3.2.2	Ready To Install.....	15
3.2.3	InstallShield Wizard Completed .....	16
<b>4</b>	<b>Uninstall .....</b>	<b>17</b>
<b>5</b>	<b>Glossary .....</b>	<b>23</b>

### 1 Introduction

The PlexService 2.5 Setup wizard automatically installs the PlexService software and its Administration Tool onto your computer. The Setup wizard creates five sets of folders. The first four sets are PlexService (PlexService programs and their documentation), Administration Tool (PlexServer Administration Tool MMC Snap-in program and its documentation), HomeDir (PlexServer initial xml configuration files), and IIS (PlexServer SDL files, WSDL files, and empty resource folder). These folders are located in the K-Plex folder under the Program Files folder as default. The last set is an MSSoap (Microsoft Soap 2.0 Toolkit) folder in the Microsoft Common files. The default location is in the “c:\Program Files\Common Files”.

The Setup wizard decompresses files from the PlexService release media and copies them to these folders onto your hard disk. In addition, it registers PlexService dlls, creates program icon shortcuts in the Windows Start Menu\Programs folder, generates SDL/WSDL/xml configuration file, and creates the PlexServer Repository database call PlexService in the SQL Server or Oracle database server if create repository option is selected. Here are the program icon shortcuts that it will create:

#### **Program-Item Icons**

- Administration Tool
- Administration Tool User Guide
- PlexService User Guide
- Read Me
- Transform CSV Guide
- Transform XHTML Guide

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

PlexWare, PlexService, PlexKlip and Klip are trademarks under registration of K-Plex Inc.

## **2 System Requirements**

PlexService, its Administration Tool, and the installation software require the following minimum hardware and software in order for them to work properly:

### **2.1 Hardware**

- 400 MHz Pentium II.
- 256 MB RAM.
- 50 MB free disk space.
- TCP/IP Network connection with Internet access.
- VGA display and adapter.

### **2.2 Software**

- Windows 2000 Server with Service Pack 1 or later.
- IIS 5.0.
- MMC 1.2.
- Active Directory Server Connection.
- At least one of the the following OLEDB Provider.
- OLEDB connection to SQL 2000 or MSDE Server.
- OLEDB connection to Oracle.
- OLEDB connection to DB2.
- SQL 2000, MSDE, or Oracle Database Server (Optional for storing repository database locally).

In order to use SQL 2000 or MSDE Server as connection database of PlexService, the authentication of SQL 2000 or MSDE Server must be “SQL Server and Windows (Mixed Mode).

### 3 Installation

K-Plex distributes the InstallShield Setup wizard to automate the installation process of the PlexService software and its Administration Tool. In order to have a smooth installation process, there are a few preparation steps to be done before running the setup.

#### 3.1 Installation Preparation

PlexService is integrated with Microsoft Active Directory or Window 2000 for user authentication. Therefore, in the installation process, it will prompt for the LDAP URL and network logon account and password. It also has its own repository database. This database will store log information (Log DB), PlexWare remote desktop for each PlexWare user (Klip DB), Klip resource (KlipResource DB), and Multi-point Collaboration application data (Collaboration DB). Therefore, it will prompt for database connection information. Here is the list of installation preparation:

##### **Installation Preparation List:**

- ❑ A domain name, domain user name and password. This account should be a member of the local administrator group.
- ❑ LDAP URL (LDAP://[ldap url] or WinNT://[machine name]).
- ❑ Type of Database Server (SQL 2000 Server, MSDE, or Oracle)
- ❑ SQL 2000, MSDE, or Oracle Database connection Information.
  - Database server name
  - user name
  - password.

Note: The database account should have the permission to create user, retrieve, and update database.

##### **What is LDAP URL ?**

LDAP URL is the name to indicate actual Active Directory. If domain name is “dev.kplex.com”, LDAP URL will be “LDAP://dev.kplex.com”. PlexService V2.5 supports WinNT Context, also. If users don’t use Active Directory, users can specify WinNT Context instead of LDAP URL. If users specify WinNT Context, the accounts that are defined in the local machine will be available on PlexService. If machine name is “PLEXSERVICE”, actual WinNT Context value will be “WinNT://PLEXSERVICE”. If users specify WinNT Context, users must specify machine name as domain name.

## PlexServiceV2.5 Installation Guide

---

### When using Klip Resource Database:

When users use Klip Resource Database and Resource Object must be uploaded to IIS , Resource directory must be writable. User can set option using this installer or Internet Information Services application.


### **3.2 Installation Process**

Once the preparation information is on hand, the installation process should be straightforward. Here are the instructions for installing PlexService software:

#### **To Install PlexService and its Administration Tool:**

- Run the Setup.exe from the PlexService release media (CD-ROM).
- When the Welcome window appears, click on the Next button.

#### *Welcome Window*




## PlexServiceV2.5 Installation Guide

---

- Read the License Agreement.
- If you agree with the terms and conditions, select I accept the terms in the license agreement. Otherwise, select I do not accept the terms in the license agreement.

### *License Agreement Window*




- Click on the Next button to continue or to exit the installation.

## PlexServiceV2.5 Installation Guide

---

- Enter the User Name, Organization, and Product Key in the Customer Information window.
- If this installation is only for you, select Only for me in the Install this application for option or select An anyone who uses this computer for (all users).

### *Customer Information Window*



The screenshot shows a Windows-style dialog box titled "PlexService 2.5 - InstallShield Wizard". The main heading is "Customer Information" with the instruction "Please enter your information." Below this, there are three input fields: "User Name:" containing "John Doe", "Organization:" containing "K-Plex", and "Product Key:" which is a sequence of five boxes containing "xxxxx", "xxxxx", "xxxxx", "xxxxx", and "xx". Underneath the product key fields is the text "Install this application for:" followed by two radio button options: "Anyone who uses this computer (all users)" (which is selected) and "Only for me (Loi)". At the bottom of the window, there are three buttons: "< Back", "Next >" (with a mouse cursor pointing to it), and "Cancel". The "InstallShield" logo is visible in the bottom left corner of the dialog area.


- Click on the Next button to continue.

## PlexServiceV2.5 Installation Guide

---

- Enter the LDAP URL, Domain Name, Logon Account, and Password (from the preparation steps earlier) in the Network Information window.
- If RootContext value is same as LDAP URL, select Set RootContext with LDAP URL value.
- If Resource Directory must be writable in order to use Uploading feature, select Make Resource Directory WRITABLE.

### *Network Information Window*



The screenshot shows the 'Network Information' window of the PlexService 2.5 - InstallShield Wizard. The window title is 'PlexService 2.5 - InstallShield Wizard'. The main heading is 'Network Information'. Below the heading, there is a text box with the following instructions: 'Please enter the LDAP url, network domain name, logon account, and its password. This logon account should also be a member of the local administrator group. PlexServer will use this account to authorize its user with LDAP server.' Below the text box, there are four input fields: 'LDAP URL:' with the value 'WinNT://CASUN', 'Domain:' with the value 'CASUN', 'User Name:' with the value 'thai', and 'Password:' with the value '\*\*\*\*\*'. Below the input fields, there are two checkboxes: 'Set RootContext with LDAP URL value.' which is unchecked, and 'Make Resource Directory WRITABLE.' which is checked. At the bottom of the window, there are three buttons: '< Back', 'Next >', and 'Cancel'. A mouse cursor is pointing at the 'Next >' button. The 'InstallShield' logo is visible in the bottom left corner of the window.


- Click on the Next button to continue.

## PlexServiceV2.5 Installation Guide

---

- Select the Database Type.
- Enter the Database Server Name, Database User, and the Database Password (from the preparation steps earlier) in the Repository Database Information window.
- If this is the first time PlexService installed and the repository database has not created yet, check the Create New Repository Database checkbox, so the setup program will create the repository database automatically. If the Repository Database is already existed, uncheck this option.

### *Repository Database Information Window*



- Click on the Next button to continue.


**Note:** *If the Create New Repository Database option checked, the installation program will create a database user called plexservice with plexservice as the password, and it uses this user/password to create the repository database and generate the configuration files for the PlexService repository. Otherwise, it will use the input Database User and Password to generate the configuration files instead.*

## PlexServiceV2.5 Installation Guide

---

Select the setup type in the Setup Type window and click on the Next button.

### *Setup Type Window*



*Note: For complete installation, skip the Custom Installation and go to the Ready to Install section.*

## PlexServiceV2.5 Installation Guide

---


### 3.2.1 Custom Installation

Custom Installation gives you the option to remove the Administration Tool, Transformers, and Soap 2.0 Toolkit component. It also has an option to change the destination folder.

#### **To remove a component:**

- Click on the down arrow on the left of the component to get a drop down option list.
- Select This feature will not be available option from the drop down option list.
- Repeat this process to remove an additional component.

#### *Custom Setup Window*



- Click on the Next button to skip to the Ready to Install the Program window or continue for option to change the destination folder.


## PlexServiceV2.5 Installation Guide

---

### To change the destination folder:

- Select the required feature and click on the Change button for the Change Current Destination Folder window.

### *Custom Setup Window*




## PlexServiceV2.5 Installation Guide

---

- Select the new destination folder.
- Click on the OK button to go back to the Custom Setup window.

### *Change Current Destination Folder Window*




- Click on the Next button in the Custom Setup window to continue.

### 3.2.2 Ready To Install

- Click on the Install button in the Ready to Install the Program window to begin the installation.


#### *Ready to Install the Program Window*



### 3.2.3 InstallShield Wizard Completed

- When Setup has finished installing PlexService, it displays the InstallShield Wizard Completed window. Click on the Finish button to finish the installation.

#### *InstallShield Wizard Completed Window*



*Note: After the installation completed, run the PlexService Administration Tool and activate the software. If this is an evaluation software, The Administration Tool will allow the user one time 30 days evaluation license activation. For purchase copy, the user should have the License Code plus the Activation Code from the Software Activation Dialog to activate the software online. See the PlexService Administration Tool User Guide section 4 (Activate License) for instruction.*


### 4 Uninstall

The PlexService uninstall process is integrated into Windows Add/Remove Programs and setup program. The Windows Add/Remove Programs will remove all the installed files and folder except for the IIS folder because it can't remove the IIS virtual directory created by the installation process. The recommended way is to use the setup.exe program again for completed removal of all installed folder. Here are the instructions to uninstall PlexService using Add/Remove Program:

#### **To Uninstall PlexService using Add/Remove Program:**

- Click at the Start button on the Taskbar to bring up the Start Menu.
- Select the Settings\Control Panel to bring up the Control Panel window.
- Double click at the Add/Remove Programs icon to get the Add/Remove Programs window below.

*Add/Remove Programs with PlexService 2.5 Selected.*




## PlexServiceV2.5 Installation Guide

---

- Select the PlexService and click the Change/Remove button to uninstall it.
- Click the Yes button in the Confirm File Deletion Dialog.

*Confirm File Deletion Dialog.*




## PlexServiceV2.5 Installation Guide

---

### To Uninstall PlexService using Setup.exe Program:

- Run the Setup program again.
- Click at the Next button in the Welcome window for the Program Maintenance window.

#### *Welcome Window*




## PlexServiceV2.5 Installation Guide

---

- Select the Remove option in the Program Maintenance window.
- Click at the Next button in the Program Maintenance window for the Remove the Program window.

### *Program Maintenance Window*




## PlexServiceV2.5 Installation Guide

---

- Click at the Remove button in the Remove the Program window.

### *Remove the Program Window*




## PlexServiceV2.5 Installation Guide

---

- When it is finished remove the program, it displays the InstallShield Wizard Completed window. Click at the Finish button in the InstallShield Wizard Completed window to close it.

### *InstallShield Wizard Completed Window*



## **5 Glossary**

➤ **PlexWare**

PlexWare is a KPlex front-end XML-based software product that enables the drag and drop, data sharing, collaboration, and enterprise integration and unification functionality to the Internet browser.

➤ **PlexService**

PlexService is a KPlex back-end server software product that provides XML-based service to PlexWare software.

➤ **PlexServer**

PlexServer is a computer running the PlexService software to provide the service to PlexService client.